

PREGNANCY ALERT INFORMATION

Pregnant women should visit the nearest hospital if the following occur:

- Reduced fetal movements
- Convulsions
- Vaginal bleeding
- Membrane leakage
- Scar pain
- Fever, cough and shortness of breath
- Excessive fetal movements
- Swelling, pain and redness in the leg
- Headaches, dizziness, blurred vision
- Persistent pain, vomiting

**In Case of Emergency, contact or visit the Urgent Care Centre at
Mediclinic Al Ain Hospital (Ground Floor)**

CALL CENTRE 800 2000





ميدىكلينيك

مستشفى العين

إرشادات وتنبيهات في فترة الحمل

يتوجب على المرأة الحامل التوجه إلى أقرب مستشفى في حال حدوث أو الإحساس بالعوارض التالية:

- قلة حركة الجنين
- التشنجات
- النزيف المهبلي
- تسرب في غشاء الرحم
- ألم في جرح العملية السابقة (ألم الندبة)
- الحمى والسعال وضيق التنفس
- حركات الجنين الزائدة
- ألم وتورم واحمرار في الساق
- الصداع والدوخة وعدم وضوح الرؤية
- استمرار الألم والقيء

في حالة حدوث أي من الأعراض المذكورة يرجى التوجه إلى قسم الطوارئ في
ميدىكلينيك مستشفى فرع العين.

مركز الاتصال 2000 800

